Previous references.

1902-3

(Medical)

File No. 195 of 02-03

Serial Nos. 9

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 9.

Part B. for

SUBJECT.

Cost of Maintenance of the Gas installation at the Victoria Hospital

---

Table of Contents:

Sl. 9. No. C 348 of 26.3.03, From the Senior Surgeon & Son.d Contr. with the Govt. of Mysore.

Forwards a copy of the Chief Engrs letter No. 1302 of 9th March'03 stating that he concurs with the Chief Engineer as regards the cost of Maintenance of the Gas installation. Of the Victoria Hospital should be met from the Medical Budget.

G. R. S. 58

Sl. 10.

Note Contd

Paper F. 107 with flag A.

In Govt Progs No 1926-3 / Mis 1411 dated the 10th December, 1902, Govt declined to sanction certain addl expenditure incurred on account of the Gas Installation at the Victoria Hospital, Bangalore, and the Senior Surgeon was requested to report why he anticipated Govt sanction — a procedure not in conformity with the standing orders of Govt.

H 15. In his present letter, the Senior Surgeon states that no details are forthcoming as to what the works are, which involved the entire expenditure.

G. 227. 17-12-02

Subd with draft. Issue JB 23/12/1902

AGI 27/12/02

Note Contd

16. In this Office Memo No 10609 / Mis 1616 dated the 9th January, 1903, the Chief Engr was requested to furnish the Senior Surgeon with details for the addl expenditure above referred to.

I 17. With his present letter, the Senior Surgeon forwards a copy of the Chief Engineer's letter No 1302 of 9th March 03 in which the latter offers

Letter dated 26-1-03 from Surgeon to Govt.

3/4

Except that the cost of maintenance of the Gas installation should be met from the Medical Budget. It is not known why the Senior Surgeon made this reference to the Chief Engineer and what orders he now requires thereon. Submit with a draft D.O. asking for information on these points.

FB
4/4/03

Issue D.O. letter.
Hy
8/4

Note Contd

18 The D.O letter was ~~dated~~ sent to the Senior Surgeon on the 13th April 1903, and his reply is awaited. 18

19 In the meanwhile, the Senior Surgeon has forwarded for the sanction of Govt the proposals contained in the following two letters recd by him from the Surgeon in charge of the Victoria Hospital 19

1. In one letter No 1560 dt 15/3/03, the Surgeon in charge has applied for sanction to an estimate for Rupees 8800/- recd from Messrs Mansfield and Sons for a 2nd Gas holder and a 3rd producer to be fixed in the Victoria

No. 10689 Ins 2817
1- APR 1903
190

GOVERNMENT OF MYSORE

FROM

SURGEON & SANITARY COMMISSIONER WITH THE GOVT OF MYSORE
No. G 348
DATE 26-3-03
BANGALORE
OFFICE OF SENIOR

(10) (1)

Med 1959/02-03

To

S.G. H. V. Wanjundayya Esqr.
M. A, M. L.
Secy to Govt.
Genl & Rev: depts.
Bangalore

Dated

Despatched

Received

General No.

No.

Enclosure No. 2.

Stating that Senior Surgeon H.L.B. concurs with the Chief Engineer as regards the cost of maintenance of the Gas Installation of the Victoria Hospital.

G
1.4.03

F.

1683

From,

Lt. Col. Percy [illegible] Sonson, M.B., I.M.S.

Senior Surgeon and Sanitary Commissioner

with the Government of Mysore, Bangalore.

To,

H. V. Nanjundayya Esqr. M.A.,M.L.

Secretary to the Government of Mysore,

Genl. and Rev. Departments, Bangalore.

Dated 26th March 1903.

No. G 348.

Sir,

I have the honor to forward for favor of orders of Go-vernment the accompanying letter (in original) No.1302 dated 9th Instant with one enclosure received from the Chief Engineer of Mysore. I concur with the Chief Engineer that the Cost of Maintenance of the Gas installation should be borne by the Med. Dept.

I have the honor to be

Sir,

Your most obedient servant,

Lt.Col.I.M.S.

Senior Surgeon and Sanitary Commr

C.V.

‡ To be obligingly returned when done with.

2

Mysore.P.W.Department.

Central Office.

Recd 11.3.03 Dy no: 3580

No. 1302 Bangalore, dated 9th.March 1903.

From,

The Chief Engineer

of Mysore.

To,

The Senior Surgeon

with the Government of Mysore.

Sir,

With reference to the enclosed copy of Dr.Smyth's No.1389 of 13th.February 1903, I have the honour to inform you that the Gas Installation to the Victoria Hospital having been erected from funds provided for in the Medical Budget, with the sanction of Government in General Department, I consider that that Budget should also continue to bear the charge of the ad--ditional installation required, as well as the maintenance of the existing installation..No reasons are adduced for the change suggested by you, and if you still think that the charge is a legitimate one against the P.W.Budget, in which I differ, I request you will be good enough to obtain definite orders of Government in the General Department on the subject as early as possible, as the Budget estimates of this Department are under preparation and will be ready for submission to Government in the course of a fortnight. I would, however, point out that had ordinary kerosine oil lighting been adopted for the Hospital, the P.W.Department could not have been asked to bear the cost of the same; nor even if electric lighting had been provided, and I am unaware why gas lighting should be treated differently?

Forwarded to Chief Secy to the Govt

I have the honour to be,

Sir,

Your most obedient servant,

W. D. Scott-Moncrieff

Chief Engineer of Mysore.

3 1903.

FROM

The Surgeon in Charge
of the Victoria Hospital.

To

The Executive Engineer
Bangalore Division.

Dated 13th February 1903.

Despatched

Received

General No. 1339
No.

Enclosure No.

His No. 219/109 dated 19-1-03.

With reference to the above, has the honor to inform that the Senior Surgeon, in his No: 126B dated 7.2.03, States that provision in the Public Works Department Budget is always made for Original works and Repairs could not in the Medical Budget.

(Sd) J. Smyth.
Surgeon in Charge
Victoria Hospital
Bangalore.

"True Copy".

[illegible]
Chief Assistant.
Office of the Chief Engineer of Mysore.
2.3.03

D. C. issued. MM
13/4/03.

D. 0 / (4) 1903 (11)

My dear Col Benson

Kindly refer to your letter No 4348 of the 26th March. 1903, and let me know on what points you want Govt orders. You have forwarded with your letter a Comm^n from the Chief Engr, in ~~which~~ which that officer states that the Cost of maintenance of the Gas Installation to the Victoria Hospital is not a proper charge on the D. P. W. Budget, and you have concurred ~~with him~~ in his opinion. I do not clearly understand why you ~~consulted~~ wrote to the Chief Engr and asked him to provide for the Charge in the D. P. W.

Budget, while the Gas
Installation was erected
from funds provided
for in the Medical
Budget, and a provision
of £5000 is made
in the same Budget
for the current year
on account of Mansfield
oil Gas. What remains
to be done in this matter
is, I think, to make
a similar or other
provision in the Guessing
year's Budget to meet the Cost of work already done with
an explanatory note.
I request you to kindly
favor me with a
line in reply.

Yours Sincerely

9/4/3.

WB
4/4/03